



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/714,852	11/18/2003	Hidenobu Senpuku	245617US0	3710

22850 7590 07/26/2006

C. IRVIN MCCLELLAND
OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C.
1940 DUKE STREET
ALEXANDRIA, VA 22314

EXAMINER

KAPUSHOC, STEPHEN THOMAS

ART UNIT PAPER NUMBER

1634

DATE MAILED: 07/26/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/714,852	Applicant(s) SENPUKU ET AL.	
	Examiner Stephen Kapushoc	Art Unit 1634	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 April 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 3 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 and 3 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date: _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date: _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim 3 has been added.

Claim 2 has been cancelled. In view of cancellation of claim 2, the rejections of claim 2 set forth in the Office Action of 10/28/2005 are now moot.

Claims 1 and 3 are pending.

This Office Action is in reply to applicants' correspondence of 04/27/2006. Claim 1 has been amended, claim 2 has been cancelled, claim 3 has been newly added. Applicants' arguments, amendments, and Declaration have been fully considered but are not found to be persuasive. Any new grounds of rejection presented in this Office Action are necessitated by Applicants' amendments. Any rejections not reiterated herein have been withdrawn. This Action is made FINAL.

It is noted that the Interview Summary Record of 02/02/2006, as referenced in Applicants Remarks/Arguments of 04/27/2006 (see page 9 of remarks) is complete.

Claim Rejections - 35 USC § 112

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claims 1 and 3 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The claims are unclear over the phrase 'wherein the genotype correlating to caries risk has been determined beforehand and which genotype is derived from an antibody titer' in claim 1. It is unclear if applicant intends that the claimed method of examining the caries risk is done by performing a nucleic acid analysis or is done by analyzing an antibody titer. Additionally, it is unclear what is intended by the term

Art Unit: 1634

'beforehand'. Does this mean that the determination is made in some unstated previous step, or is there some other limitation intended by the term 'beforehand'? It is further unclear as to how a genotype can be derived from an antibody titer. The claim is further unclear over recitation of the phrase 'as correlative to caries risk' as it is unclear what this phrase is modifying; does the phrase indicate, for example, that the genotype is correlative to caries risk, antibody titer is correlative to caries risk, or the antigen is correlative to caries risk?

Claim 3 is unclear over recitation of the term 'DRB1 -4-5' in the second line of the claim. It is unclear what allele is intended by this term.

Claim Rejections - 35 USC § 112 - Enablement

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claims 1 and 3 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. The specification does not provide for a method in which the caries risk can be determined through the identification of the genotype of DRB1* in a class II type of a HLA gene group wherein genotypes correlating to caries risk have been derived from an antibody titer of immunoglobulin A in human saliva against an antigen of SEQ ID NO: 1.

Nature of the Invention and Breadth of the Claims

Claims 1 and 3 are drawn to a method for determining the caries risk in an individual. The method comprises identifying the genotype of DRB1 in a class II type of a HLA gene group, and comparing the genotype with a previously determined caries risk as determined by an antibody titer against an antigen consisting of SEQ ID NO: 1.

Claim 1 encompasses identifying the caries risk in any animal subject, and also includes the analysis of any possible DRB1 genotype as it may be indicative of increased or decreased caries risk. The claim additionally includes any method in which the antibody titer of a secretory immunoglobulin A from saliva in humans is determined using SEQ ID NO: 1 as an antigen, and comparing this antibody value to the identified genotype.

Claim 3 requires that the identified genotype is at least one of 16 specifically recited DRB1* alleles.

The nature of the invention requires knowledge of the correlation between the caries risk of an individual and DRB1 genotype, and a correlation between a DRB1 genotype, antibody titer of secretory immunoglobulin A to a SEQ ID NO: 1 antigen, and caries risk.

State of the Prior Art, Level of Skill, and Level of Unpredictability

The prior art concerning to the investigation of HLA-DRB1 genotypes and phenotype teaches the examination of particular genotypes with regard to several diseases that involve immune system components. Though the level of skill with regard to identification of different HLA-DRB1 genotypes in humans is high, results from

Art Unit: 1634

attempts to demonstrate an association between any particular genotype and a disease state are indicative of an even higher level of unpredictability. Some of the unpredictability in correlating HLA-DRB1 genotype to disease predisposition is due to the highly polymorphic nature of the gene. Epplen et al (1997a) teaches the extremely polymorphic nature of HLA-DRB1, and indicates that DRB1 is the most polymorphic protein-coding locus in man and all vertebrates (p.399 – Abstract).

Acton et al (1999) and Ozawa et al (2001) teach the determination of an association between MHC alleles and the caries risk. Acton et al teaches the association of DRB1*3 and DRB1*4 with caries risk (as determined by high levels of *S. mutans* and development of caries) (p.986, right column, l.45); and Ozawa et al teaches the association of DRB1*802 and DRB1*1302 with caries risk (as determined by high oral levels of lactobacilli) (p.355, right column, l.11). While these prior art references may be enabling for the practice of the claimed invention with regard to these specific alleles in the particular populations that were studied, the specification of the instant application cannot be considered enabling for these embodiments because they are not described in the specification. Additionally, both Acton et al and Ozawa et al exemplify the unpredictable nature of this art: Acton et al was not able to show an association between any other DRB1 alleles and caries risk, and Ozawa et al was not able to show an association between any other DRB1 allele and high levels of lactobacilli or an association of any DRB1 allele with high levels of *S. mutans*.

The prior art does not teach an association between any of the genotypes specifically recited in claim 3 and the caries risk.

Epplen et al (1997b) teaches the analysis of HLA-DRB1 genotypes in attempts to determine predisposition to multiple sclerosis (MS), early onset pauciarticular arthritis (EOPA) and rheumatoid arthritis (RA). The reference teaches the complex nature of using HLA-DRB1 genotypes as indicators of disease predisposition, and shows that it is often necessary to examine other genetic factors in addition to HLA-DRB1 genotype (Fig4; p.1583 – HLA and disease association: functional aspects vs. linkage disequilibrium). In the examination of MS predisposition, the reference teaches the analysis of more than 600 MS patients and the respective number of controls (p.1582, right column, l.21). The reference further teaches that while DRB*15 correlates with an increased risk of MS, the increased risk of DRB1*03 individuals is hardly recognizable (p.1582, right column, l.31). However, when the DRB1*03 allele is found together with a certain allele of another gene (TCRBV6S3), the risk of developing MS increases 22-fold (p.1583, left column, l.1).

Wyand et al (2000) teaches the use of HLA-DRB1 alleles as predictive indicators of RA. The reference indicates that different alleles (alone and in combination) have been associated with different forms of the disease (p.214, left column, l.7); but the reference also indicates that showing an association between an allele and a phenotype is not necessarily a sign of the extent to which a polymorphism can be used as a biomarker to predict disease course (p.214, left column, l.20). The reference further teaches that proper analysis of the association between HLA allele and disease requires sufficient patient numbers to control for disease and treatment variables, and to assess the impact of polymorphisms and gene dosing (p.214, left column, l.21).

Walkyria et al (2001) teaches the analysis of HLA alleles with regard to type 1 diabetes in a Brazilian population. The study concludes that there are several haplotypes which include specific DRB1 alleles that occur with increased frequencies in patient groups, as well as a particular DRB1 genotype which correlated to the highest risk for type I diabetes (p.1226 – Abstract). To reach these conclusions, the study utilized a case-control analysis of 181 individuals, which included 70 patients and 111 healthy subjects, in which multiple genes were simultaneously analyzed (p.1227 – Subjects, HLA typing). The conclusion that DRB1*03 and DRB1*04 alleles are indicators of type 1 diabetes susceptibility are drawn from the statistical analysis of the occurrence of these alleles in multiple patients versus controls (p.1229 – predisposing and protective alleles; p.1230 – Table 2). However, pointing to the unpredictability of the utility of DRB1*401 as a susceptibility marker, the reference teaches that the effect of DRB1*401 is variable depending on the population studied (p.1231, left column, l.14). The reference also points out the unpredictability of the effect of different alleles in different populations when teaching the lack of a protective effect of a haplotype that includes DRB1*1501 in the Brazilian population, indicating that such a haplotype usually confers a dominant protective effect in most populations; and that although the population under study was small, the DRB1*1501-containing haplotype was found in two diabetic patients (p.1232, left column, l.5).

Collectively, these studies teach the requirements that enable the determination of an association between a DRB1 allele and a phenotype. Such a determination requires a case-control study with a population large enough to allow a statistically

Art Unit: 1634

significant analysis of the data. The studies also show the importance of examining other genes (e.g. establishing haplotypes) when investigating DRB1-phenotype associations. Importantly, the studies show that given the enormous number of DRB1 alleles, not every allele will be predictive. Determining an association requires finding a particular allele multiple times in affected or control subjects, and it is a preponderance of alleles in a particular group, not just a single instance of an allele in a single subject, which serves as the basis of the determination.

Amount of Direction Provided and Working Examples

The instant application provides no working example of the use of the claimed method for examination of the caries risk. Furthermore, the specification does not provide any analysis or evidence suggesting a reliable predictive relationship between HLA DRB1 alleles and caries risk. As noted previously in the rejection, knowledge of such a relationship is essential for the practice of the claimed invention.

The specification of the instant application provides an example (p.13 – Example 1) in which DRB1* genotypes and anti-PAC antibodies were analyzed. The specification teaches the determination of HLA-DRB1 genotype via a PCR-RFLP method. The specification teaches the use of several primers (p14-15) for DRB1 amplification:

<u>Primers</u>	<u>Alleles amplified</u>
DR3 and AmpB	DRB1*03, 08, 11, 12, 13, 14
DR4-like and AmpB	DRB1*1122, 1410, 1130

Art Unit: 1634

The specification does not specifically describe the use of any other primers for the amplification of any other HLA-DRB1 alleles. The specification further describes the treatment of the amplified DRB1 fragments with restriction enzymes, but does not indicate what type of restriction pattern is indicative of any particular genotype.

The specification also teaches the measurement of secretory anti-PAc antibodies in human saliva. The specification teaches an ELISA assay (p.17) in which a PAc peptide, corresponding to amino acids 361-386 of the *S. mutans* PAc protein, is used as an antigen, and alkaline phosphatase-labeled anti-human IgA is used to detect to detect anti-PAc antibodies. The specification teaches that a high level of anti-PAc antibodies is indicative of a low caries risk (p.11 I.4).

The specification teaches the comparison of HLA-DRB1 genotypes and anti-PAc antibody levels in the saliva of five individuals (p.20 and Table 1). However, the specification teaches that the five individuals (each of which were placed into one of two groups: High antibody value and Low antibody value) all have unique DRB1 alleles. There is no statistical analysis of the data, and in fact the results indicate that no particular genotype is found in more than one individual within either the High versus Low antibody groups, or within the entire population studied; there is no repeated finding of any particular genotype that would lead one to believe that such a genotype would indicated a predisposition or susceptibility for developing caries. In fact, the example provided in the instant specification does not indicate there exists any correlation between any HLA-DRB1 genotype and antibody levels or caries risk. Furthermore, there is no validation of the predictive use of DRB1 genotypes in

examining caries risk, nor any analysis of whether or not the individuals in the study actually developed caries.

Quantity of Experimentation Needed to Use the Invention

The quantity of experimentation required to use the claimed invention is high. If one wished to use the methods outlined in the instant specification to determine caries risk, one would first have to conduct a larger scale case-control study to discover which DRB1 alleles are present in caries-sensitive subjects versus subjects resistant to caries. Such a study may be focused on a general population or a specific subpopulation (e.g.: ethnic or geographic), and may also include corrections for environmental factors such as diet or hygiene. Such a study would have to be large enough in scope to detect correlations between any of the many different DRB1 alleles and a risk of caries; as the specification indicates, solving all combinations of DRB1 dimers would allow for accurate evaluation of the caries risk (though the instant specification provides information about DRB1 alleles from only five individuals). One would also have to analyze any possible genotype as it relates to antibody titer of immunoglobulin A against the antigen consisting of SEQ ID NO: 1 and further establish that antibody titer is indicative of caries risk. Validation of any specific alleles alleged to be useful for prediction of an increased caries risk would have to go beyond just showing a correlation with increased antibodies or higher levels of *S. mutans* in the oral cavity, and have to show an actual correlation with increased caries development.

Conclusion

Art Unit: 1634

Taking into consideration the factors outlined above, including the nature of the invention and scope of the claims, the state of the art and its high level of unpredictability, the lack of guidance by the applicant and the lack of a working example, it is the conclusion that an undue amount of experimentation would be required to use the invention as claimed.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1 and 3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Acton et al (1999) in view of Matsushita et al (1994) and Senpuku et al (1998).

Claim 1 is drawn to a method for examining the caries risk by identification of HLA-DRB1 genotype in a subject, wherein the association of a genotype with the caries risk has been determined by analyzing the relationship between the genotype and an antibody titer of immunoglobulin A against an antigen consisting of SEQ ID NO: 1 (where SEQ ID NO: 1 corresponds to amino acids 361-386 in the S. mutans PAc protein).

Acton et al teaches a study comparing the levels of cariogenic bacteria between those with and without a particular MHC allele (p.985 – Study design). As required by

Art Unit: 1634

claim 1, the reference teaches the genotyping analysis of HLA-DRB1 in the subjects (p.986 – Genetic analysis). The oral bacterial profile of each subject of the study was also examined (at two time points) by measuring the number of colony forming units per milliliter of stimulated saliva (p.985 – Bacterial profiles). The reference further teaches management of the data to account for use of antibiotics by the subjects which affected bacterial levels (p.986 – Statistical analysis). Acton et al teaches an analysis of the results of bacterial profiling as related to DRB1 allele genotype (Table 1). The reference teaches that of the subjects who possessed a DRB1*3 allele, a statistically significant larger proportion had high levels (66%) compared with low levels (34%) of *S. mutans* (p.986 – Results), thus concluding that identifying HLA alleles is useful for examining the caries risk.

Acton et al does not teach the prior identification of the caries risk using an analysis of salivary antibodies utilizing an antigen with SEQ ID NO: 1.

Matsushita et al teaches the detection of anti-PAc antibodies using synthetic peptide antigens as a diagnostic test for caries risk, and demonstrates the use of ELISA analysis of anti-PAc antibodies in human saliva (p.4035 – ELISA; p.4037 – Fig. 2B). The reference also teaches the use of synthetic peptides to map the continuous antigenic epitopes of the PAc protein, including peptides covering the A-region, which includes amino acids 361-386. Furthermore, Matsushita et al teaches a highly antigenic epitope in the A2-A3 junction of the A region (which includes amino acids 361-386) in the analysis of saliva from 5 different human subjects (p.4038 – Fig.4).

Senpuku et al teaches a detailed analysis of the PAc protein sequence to identify A-region antigenic peptides that bind to HLA-DR molecules, using a panel of overlapping synthetic peptides. The results from the analysis of DRB1 binding to various peptides indicates the strong binding of HLA-DR molecules to several relevant peptides, including PAc(369-387) and PAc(361-379), which bound strongly to molecules in four out of nine and three out of nine subjects, respectively (p.326, left column, l.29; Table 2). Relevant to claim 3, the reference teaches the relationship between specific DRB1 alleles recited in the claim and immunoglobulin reactivity (Table 2 of the reference). For example, Table 2 teaches that subject NUA has DRB1 genotypes 1101/1501 and higher reactivity to the PAc peptides.

It would have been prima facie obvious to one of ordinary skill in the art to have modified the method of Acton et al to include antibody based methods of Matsushita et al and Senpuku et al to determine the caries risk of an individual. One would have been motivated to do so in order to provide an alternate means of detecting an increased caries risk, and based on the assertion of Matsushita et al that detection of anti-PAc antibodies in saliva using synthetic peptides as antigens is useful in development of a diagnostic test for dental caries (p.4040, last paragraph of discussion). One would have had a reasonable expectation of success because Matsushita et al demonstrates successful results in several individuals, and indicates that epitope patterns among the subjects examined were similar to each other (p.4038, last sentence). It would have been further obvious to use an antigen consisting of SEQ ID NO: 1 (PAc 361-386) based on the assertion of Senpuku et al that peptides PAc(355-373) and PAc(369-387)

Art Unit: 1634

contain antigenic components. It would thus be obvious to use any synthetic peptide antigen from within these regions of the PAc protein, including an antigen consisting of SEQ ID NO: 1. One would have been motivated to use such a peptide because Matsushita teaches the successful use of such peptides as antigens (p.4036 – Epitope scanning of the PAc molecule; Fig. 4), and Senpuku et al teaches the high reactivity of HLA-DR molecules with these (Table 2). It would be obvious to identify the genotypes taught by Senpuku et al (Table 2), which include the alleles recited in claim 3, as Senpuku et al teaches that these alleles correspond to anti-PAc reactivity. Thus the method taught by the combined references would have incorporated analyzing DRB genotypes and using titers of antibodies against SEQ ID NO: 1 to establish the carries risk of an individual.

Response to Remarks

5. Applicant has amended claim 1 to incorporate the limitations of claim 2. The rejection of claim 1 under 35 USC 102(b) has been withdrawn.
6. The Declaration under 37 CFR 1.132 filed 4/27/2006 is insufficient to overcome the rejection of claims 1 and 3 based upon 35 USC 112 first paragraph as set forth in the last Office action.
7. Applicant has provided a Declaration under 37 CFR 1.132 in response to the rejection of claims under 35 USC 112 (Enablement rejection), asserting that the Declaration indicates that one can correlate the relationship between antibody titer and

Art Unit: 1634

genotype to assess whether the subject is at risk of developing dental caries based on the identified genotype.

This declaration is not found to be persuasive. Examiner maintains that applicant is not enabled for a method examining a caries risk comprising identifying a subject's DRB1 genotype.

The Declaration provides a Table (discussed in parts 5-9 of the Declaration) indicating several specific genotypes and antibody titer group (high or low as represented by an up or down arrowhead), as well as a numerical value of antibody titer determined for particular genotype pairs (displayed in the body of the table). This Table demonstrates the unpredictability of the claimed method. For example, both genotypes 1302 and 1502 appear to be in the 'low' group (as indicated by down arrowheads, low group being titer less than 2, and a high risk for caries according to part 8 of the declaration), however a genotype pair of 1302/1502 displayed a titer value of 2.6, which according to part 8 of the declaration is the 'high' group where the caries risk is low.

The provided Declaration states in part 8 (last sentence) that 'when the antibody titer belongs to the "High group", the caries risk is low, and when the antibody titer belongs to the "Low group", the caries risk is high'. However part 9 (last sentence) of the Declaration is contradictory with the previous statement, stating that 'if the subject has a genotype that has been correlated to the high group, then that subject is at risk of developing dental caries'. It is thus unclear if applicant intends for the presented data to indicate that a 'high' antibody titer is indicative of a protective action of the secreted

Art Unit: 1634

antibodies against caries (thus a low caries risk), or a 'high' antibody titer is indicative of an increased concentration of oral bacteria (thus a high caries risk).

Additionally, Tables 1 and 2 of Tsuha et al (2004) (provided in the Declaration) teaches that HLA-DRB genotype is not predictive of the caries risk. For example, Table 1 indicates that the titer of anti-PAC (361-386) antibodies in saliva is not associated in a statistically significant fashion with dental caries (as measured by decayed, missing, and filled teeth (DMFT)); and Table 2 indicates that DRB1 genotype is not associated in a statistically significant fashion with dental caries (as measured by DMFT).

Furthermore, it is noted that the submitted declaration is not commensurate in scope with the claims. For example, while claim 1 is broad enough to encompass the analysis of any DRB1* genotype (which includes several hundred possible alleles), the declaration offers data concerning only 21 different DRB1* alleles.

This rejection is maintained.

8. Applicant asserts that Acton et al in view of Matsushita et al and Senpuku et al does not teach a method of evaluating a caries risk by determining a reference genotype used for comparing anti-PAC antibodies and HLA-DRB genotype (pages 10-11 of the remarks). Examiner maintains that the combination of the references teaches determining caries risk based on HLA genotype (Acton et al), as well as determining caries risk based on anti-PAC antibodies (Matsushita et al) and using HLA genotype in an analysis of anti-PAC antibodies (Senpuku et al). Applicants further assert that the limitation of an antigen consisting of SEQ ID NO: 1 is not obvious over the prior art. As

Art Unit: 1634

stated in this Office Action, it would be obvious to use any peptide shown to contain highly immunogenic epitopes, including a peptide consisting of SEQ ID NO: 1, as taught by Masushita et al and Senpuku et al. Furthermore, it is noted that the claim does not require any use of a peptide consisting of SEQ ID NO: 1, only that such a peptide is an antigen for the secretory immunoglobulin A in human saliva for which the antibody titer is examined.

9. Applicants argue (bottom of page 10 of the Remarks) that the cited references do not correlate DRB1 genotypes to caries risk. This is not found persuasive as Acton et al teaches that the DRB1*3 allele is associated with high levels of *S. mutans* (Table 1), and the results support a hypothesis of an association between host HLA class II allele and colonization of bacteria thought to be involved in the etiology of dental caries.

10. Applicants further argue (top page 11 of Remarks) that Senpuku et al describes several HLA-DR-binding motifs identified in PAc, and does not correlate DRB1 genotypes and caries risk. This is not found persuasive because such a piecemeal analysis of the teachings of Senpuku is not appropriate in that the claims are rejected over the combination of the teachings of Senpuku et al, Acton et al, and Matsushita et al. Acton et al provides data relating DRB genotypes to the concentration of caries-causing oral bacteria (*S. mutans*) in humans, and Senpuku et al provides the particular portions of the *S. mutans* PAc protein that are immunogenic in humans; furthermore, Matsushita et al teaches that immunogenic peptides of the PAc molecule may be useful in the development of diagnostic tests. Thus the combined references provide a method for determining caries risk by correlating DRB1 genotypes to the caries risk.

Art Unit: 1634

11. Applicants argue (bottom page 11 of Remarks) that there is nothing in the cited references that would one to the specific SEQ ID NO: 1 amino acid sequence, which is amino acids 361-386 of the *S. mutans* PAc). This is not found persuasive because both Matsushita et al (Fig 5) and Senpuku et al (Table 2) show the antigenicity of the PAc protein in this region. Thus any peptide antigens from within this region, including a peptide consisting of SEQ ID NO: 1, are equivalent, and it would be obvious to select any such peptide, including the peptide of SEQ ID NO: 1, for the analysis of human secretory antibodies against *S. mutans*.

This rejection is maintained.

Conclusion

12. No claim is allowed

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen Kapushoc whose telephone number is 571-272-3312. The examiner can normally be reached on Monday through Friday, from 8am until 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ram Shukla can be reached at 571-272-0735. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Stephen Kapushoc
Art Unit 1634



DIANA JOHANSEN
PRIMARY EXAMINER